

How to Uninstall Internet Explorer 4.0

Last reviewed: October 17, 1997

Article ID: Q174265

The information in this article applies to:

- Microsoft Internet Explorer version 4.0 for Windows 95
- Microsoft Internet Explorer version 4.0 for Windows NT 4.0

SUMMARY

This article describes how to uninstall (or remove) Internet Explorer 4.0 (version 4.71.1712.6). For information about uninstalling Internet Explorer Platform Preview 2.0 (version 4.71.1008), please see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 0170757

TITLE : Uninstalling Internet Explorer 4.0 Platform Preview 2.0

When to Remove Internet Explorer

Remove Internet Explorer 4.0 before you perform any of the following actions:

- Installing an earlier version of Internet Explorer (3.0, 3.01, or 3.02).
- Restoring a registry (System.dat or User.dat) that was created before you installed Internet Explorer 4.0 (this applies to Microsoft Windows 95 only).
- Using a Windows NT Emergency Recovery Disk (ERD) you created before you installed Internet Explorer 4.0 (this
 applies to Windows NT only).
- Upgrading to a later release of Internet Explorer 4.0.
- Reinstalling your operating system (Windows 95 or Windows NT).
- Installing or uninstalling operating system upgrades (for example, Windows 95 Service Pack 1).

Uninstalling Internet Explorer 4.0 May Not Be Supported


There are some configurations in which uninstalling Internet Explorer 4.0 does not work. Uninstalling Internet Explorer 4.0 is not supported in the following situations:

- Internet Explorer 4.0 is installed in multiple operating system installations (Windows 95, Windows 95 OEM Service Release 2, or Windows NT 4.0) on the same logical hard disk. If you need to run Internet Explorer 4.0 in multiple operating systems, you must install each operating system on a separate logical drive.
- You have removed the Internet Explorer 4.0 backup files. If you removed

the backup files, you are unable to uninstall Internet Explorer 4.0 without reinstalling Windows into a different folder. For additional information, please see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 0172919

TITLE : Uninstall Internet Explorer 4.0 Option Is Missing



MORE INFORMATION

Before you uninstall Internet Explorer, quit all running programs. For information about problems that can occur if you do not quit all running programs before uninstalling Internet Explorer, please see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: <u>0165646</u>
TITLE : Program Settings Lost After Internet Explorer Setup or Uninstall

To uninstall Internet Explorer 4.0 in Windows 95 and Windows NT 4.0, follow these steps:

NOTE: You must have administrative privileges to install and uninstall Internet Explorer 4.0 on Windows NT. This includes having administrative privileges the first time you start your computer after you install or uninstall Internet Explorer 4.0.

- 1. In Control Panei, double-click Add/Remove Programs, and then click the Install/Uninstall tab.
- 2. In the list of installed programs, click Microsoft Internet Explorer 4.0, and then click Add/Remove.
- 3. In the Internet Explorer 4.0 Active Setup dialog box, click "Uninstall Internet Explorer 4.0 and all its components," and then click Advanced to specify any additional components you want to remove.
- 4. Click OK.
- 5. When Setup starts in Maintenance mode, click Remove All.

If there are any files in the Recycle Bin, you receive the following message:

Internet Explorer 4.0 has modified the format of the Recycle Bin.

If you want to keep any of the items currently in the Recycle Bin, open the Recycle Bin and move the items to a different location.

To permanently delete all items from the Recycle Bin and continue, click OK.

Click OK after checking that there are no files in the Recycle Bin that you want to restore.

Known Issues with Uninstalling

Office 97 files may be removed after you uninstall Internet Explorer 4.0. This problem only occurs if you install Internet
Explorer 4.0 before you install Microsoft Office 97, and then uninstall Internet Explorer 4.0.

For additional information, please see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 0174431

TITLE: OFF97: Problems Occur After Removing MS Internet Explorer 4.0 ** ** PARTNER: ** Microsoft support engineers should connect to the OFFICE roll-up ** database.

When you uninstall Internet Explorer 4.0, some user settings are returned to operating system defaults. For additional
information about this problem, see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 0173921

TITLE : Uninstalling Internet Explorer Restores Default Settings

You cannot uninstall Microsoft Plus! for Windows 95 after uninstalling Internet Explorer 4.0. Using the Remove All
option in Microsoft Plus! Maintenance-mode Setup results in the following error message:

Custom Action Error" The system cannot find the specified file.

For additional information about uninstalling Microsoft Plus!, see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 165623

TITLE : Cannot Remove Microsoft Plus! After Installing Internet Explorer

When you uninstall Internet Explorer 4.0, any certificates obtained after you installed Internet Explorer 4.0 are removed.
 Certificates obtained prior to installing Internet Explorer 4.0 are not removed. For additional information, please see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 0174920

TITLE: Uninstalling Internet Explorer 4.0 Removes Certificates

- Some registry entries and files remain on your computer.
- All components may not be uninstalled. You can uninstall individual components by clicking Add/Remove Programs in Control Panel, clicking the program in the list of installed programs, and then clicking Add/Remove.
- If you install Internet Explorer 4.0, install a program, and then uninstall Internet Explorer 4.0, some programs may not
 work properly. After uninstalling Internet Explorer 4.0, if a program does not work properly, reinstall the program.
- If you uninstall Internet Explorer 4.0, Internet icons may remain in other programs such as Microsoft Word and Microsoft Excel. If you click these icons, nothing happens because no browser is installed.

General Troubleshooting

If Maintenance-mode Setup does not work or you cannot run Setup, try one of the following methods:

- In Windows 95, try restarting your computer in Safe mode, and then use the Add/Remove Programs tool in Control
 Panel to uninstall Internet Explorer 4.0. To restart the computer in Safe mode, click Start, click Shut Down, click Restart
 The Computer, and then click Yes. When you see the "Starting Windows 95" message, press the F8 key, and then
 choose Safe Mode from the Startup menu.
- · Reinstall Internet Explorer 4.0, and then uninstall it.
- In Windows 95, restore a registry created before installing Internet Explorer 4.0, and then use the Ieremove tool to restore
 your shell files. For more information, see the following article in the Microsoft Knowledge Base:

ARTICLE-ID: 0166313


TITLE: Removing Internet Explorer 4.0 for Windows 95 Using Ieremove.exe

In Windows NT, use an ERD created before installing Internet Explorer 4.0 to replace necessary system files, and then
run the Ieremove tool to restore previous shell components. For more information, see the following article in the
Microsoft Knowledge Base:

ARTICLE-ID: 0166314

TITLE : Removing Internet Explorer for Windows NT 4.0 Using Ieremove.exe

 Reinstall your operating system and previous browser in a "clean" folder, or restore from a complete system backup made before installing Internet Explorer 4.0.



Additional query words: 4.00 Keywords : msient msiew95 kbsetup

Version: WINDOWS:4.0 Platform: WINDOWS Issue type: kbhowto

THE INFORMATION PROVIDED IN THE MICROSOFT KNOWLEDGE BASE IS PROVIDED "AS IS" WITHOUT WARRANTY OF ANY KIND. MICROSOFT DISCLAIMS ALL WARRANTIES, EITHER EXPRESS OR IMPLIED, INCLUDING THE WARRANTIES OF MERCHANTABILITY AND FITNESS FOR A PARTICULAR PURPOSE. IN NO EVENT SHALL MICROSOFT CORPORATION OR ITS SUPPLIERS BE LIABLE FOR ANY DAMAGES WHATSOEVER INCLUDING DIRECT, INDIRECT, INCIDENTAL, CONSEQUENTIAL, LOSS OF BUSINESS PROFITS OR SPECIAL DAMAGES, EVEN IF MICROSOFT CORPORATION OR ITS SUPPLIERS HAVE BEEN ADVISED OF THE POSSIBILITY OF SUCH DAMAGES, SOME STATES DO NOT ALLOW THE EXCLUSION OR LIMITATION OF LIABILITY FOR CONSEQUENTIAL OR INCIDENTAL DAMAGES SO THE FOREGOING LIMITATION MAY NOT APPLY.

Last reviewed: October 17, 1997
21997 Microsoft Corporation. All rights reserved. Legal Notices.