
From: Arriaga, Steven M
Sent: Monday, November 03, 2003 5:00 PM
To: DL-Powers_NE_IHRs
Cc: DL-Powers_NE_DMs; Holloway, Mary J; Petroustas, Michael; O'Connell, Keith M; Heckler, Sarah; Van Deusen, Joanne
Subject: NEMC Celebrex & Bextra Pre-operative Protocol

Trailblazer IHR's,

Attached is a great Celebrex & Bextra Pre-operative protocol in Oral/Maxillofacial surgery from New England Medical Center. I have already requested a copy on NEMC letterhead from Bill and I will be sending that out as well for your review. Congrats to Bill Higgins and his Boson IHR LAT Team for a job well done. Keep in mind that is FYI and not to be used for Detailing.



PRE-OP
Protocol.doc (33 KB)

Steven M. Arriaga
Assistant to the Regional Manager
Powers Northeast
(973) 541-5946
"Our Time Is Now"



PRE / POST OPERATIVE PROTOCOL FOR MANAGEMENT OF PAIN AND INFLAMMATION

CELEBREX

 MEDICATION

 or

 BEXTRA

<p>Pre-op: <u>Before surgery:5 days</u></p> <ul style="list-style-type: none"> ➤ Take Celebrex (200mg) once a day prior to surgery as instructed <p align="center"><u>The Morning of surgery:</u></p> <ul style="list-style-type: none"> ➤ Take (400mg) of Celebrex with only a small sip of water the morning of surgery. <p>Post-op: <u>The evening after surgery:</u></p> <ul style="list-style-type: none"> ➤ Take narcotic pain medication as directed ➤ Take 1 additional Celebrex (200mg) just before bed. <p align="center"><u>Each day until follow up visit:</u></p> <ul style="list-style-type: none"> ➤ Continue taking narcotic medication as directed ➤ Take 1 Celebrex (200mg) once a day. Celebrex may be combined with narcotics. 	<p>Pre-op: <u>Before surgery: 5 Days</u></p> <ul style="list-style-type: none"> ➤ Take Bextra (20mg) once a day prior to surgery as instructed <p align="center"><u>The Morning of surgery:</u></p> <ul style="list-style-type: none"> ➤ Take (20mg) of Bextra with only a small sip of water the morning of surgery. <p>Post-op: <u>The evening after surgery:</u></p> <ul style="list-style-type: none"> ➤ Take narcotic pain medication as directed <p align="center"><u>Each day until follow up visit:</u></p> <ul style="list-style-type: none"> ➤ Continue taking narcotic medication as directed ➤ Take 1 Bextra (20mg) a day as instructed. Bextra may be combined with narcotics.
---	---

** Celebrex has no effect on platelet Function (see product package insert)*

** Bextra has no effect on platelet function (see product package insert)*

If you have any questions regarding your surgical procedure please do not hesitate to call us at the number listed below.