
From: Farina, Thomas P
Sent: Thursday, June 19, 2003 12:23 AM
To: Holloway, Mary J; Arriaga, Steven M
Cc: DL-Powers_NE_J_Reps; Ronald Rainero (E-mail); Irina Gorelik (E-mail 2); Nelson Bermudez (E-mail 2); Alex Alvarez (E-mail)
Subject: FW: Dr. Gventer Briefing sheet

Mary/Steven,

Attached is a Podiatry Pre-op briefing sheet from Irina Gorelik. One of the items that we worked on at POA was to come up with a standard pre-op form that we could use to close our orthopedic surgeons and other surgical sub-specialties after selling our Slappendel message. Using a form that originated in Long Island, Robinson came up with a rather nice, simple, but comprehensive briefing sheet (I sent this via separate email).

Irina is my first rep to get a briefing sheet in writing post-POA2. Obtaining Pre-op briefing sheets is part of our POA2 contest so - \$25 in ACE points to Irina!!

"There can be only one."
Tom Farina
Brooklyn District Manager - Powers Rx
PFIZER INC
1-800-233-7241 x77189

-----Original Message-----

From: Gorelik Irina [mailto:masya333@yahoo.com]
Sent: Saturday, June 14, 2003 6:15 PM
To: Thomas P Farina
Subject: Dr. Gventer Briefing sheet

Hi Tom,




Pre-operative
Surgery Instruc...

Please see attached:

Regards,

Irina

Do you Yahoo!?
SBC Yahoo! DSL - Now only \$29.95 per month! <http://sbc.yahoo.com>



DR. MARK GVENTER D.P.M.

2995 Ocean Parkway

Brooklyn, NY 11235

718-265-1140

PRE-OPERATIVE SURGERY INSTRUCTIONS

**PLEASE OBSERVE THE FOLLOWING INSTRUCTIONS, AND CALL YOUR DOCTOR IF YOU
QUESTIONS**

- Do not drink alcoholic beverages for 24 hours.
- Do NOT change your dressings until you are instructed by your doctor.
- Do not drive a motor vehicle for 24 hours or operate any machinery or power tools.
- Keep your dressing DRY.
- Do not make any important decisions or sign important papers for 24 hours.
- Elevate the part that was operated.
- Begin with liquids and light foods and progress slowly to a regular diet, if you are not nauseated.
- Do not be alarmed by a small amount of drainage. If it is excessive, call your doctor right away.
- Avoid staying alone. Be very careful walking up or going up or down stairs.
- Change your dressing or adjust as necessary.

Take the following medications as directed:

Bextra™ 10mg Bextra™ 20mg Celebrex™ 200mg

BID

Celebrex™ 200mg Celebrex™ 200mg

BID

Other special instructions

Even though your operation was performed with utmost care, you may experience one or more of the following symptoms:

- Nausea Vomiting Swelling Fever Dizziness
- Lightheadedness Oozing Sleepiness Pain Other

If the medication you have been given does not seem to be taking care of the problem, or if you are experiencing difficulty in breathing, chest pain, or bleeding that you feel is excessive:

Please call Dr. Mark Gventer Telephone # 1140

If necessary, you may report at any time, 24-Hours-A-Day, to the Emergency Department, and you will be taken care of at once.

Additional Advice from your doctor:

Please expect a phone call from the ambulatory surgery center on the next business day.



You are scheduled to see your doctor: At: _____ am / pm
On: _____, 20____